



Kennzeichenträger

Number plate

Trasformazione  
portatarga


Le support  
d'identification

La placa de matrícula


Art.Nr.: 38982-00




M5x16



Kabelführung  
cable tray





bis/to Bj. 11.2017 R 1200 GS/R LC  
Hülse/spacer D=15/ d=85 / l=39,5  
von/from Bj. 11.2017 R 1200 GS/R LC - R 1250 GS/R  
Hülse/spacer D=16/ d=82 / l=34,5

D=15/ d=6,5 / l=33,5



**M6x50  
8Nm**



**M8x65  
24Nm**

R 1200 GS/R LC bis/to Bj. 11.2017



**M8x70  
28Nm**

R 1200 GS/R LC von/from Bj. 11.2017  
R 1250 GS/R




## R 1200/1250 GS

Verbinden Sie die Plus (+) Leitung der Kennzeichenleuchte mit der blau-gelben und die Masse (-) mit der braunen des Fahrzeugs.

Connect the positive (+) wire from the plate holder to the blue-yellow and the negative (-) to the brown from vehicle.



Verlege Beispiel  
usage example



## R 1200/1250 R

Entfernen Sie die original Birne der Kennzeichenbeleuchtung.

Remove the original plate light.



Widerstand wird warm. Schützen oder positionieren Sie diesen dementsprechend.

Resistance is warm. Protect or position it accordingly.